

CEX – 17.3” Industrial Downward Portable Computer

PIP-D617A



• Features

- 17.3” Downward Portable Industrial Computer
- Aluminum-Magnesium Alloy Chassis
- 17.3” TFT LED, with 1600 x 900 resolution (1080P Optional)
- Integrated with ultra-slim DVD-RW, 88keys keyboard, Touchpad
- Support 1 x 3.5” HDD, 1 x 2.5” HDD driver
- WIFI Optional

Specifications

Material	Industrial dual Al-alloy
Motherboard	Supports MINI-ITX Motherboard Installation Space left (optional)
CPU	Supports CPU Intel Core i7/i5/i3 Series (optional)
Chipset	Supports Intel B75/H81/Q170/H110 Chipset (optional)
Display	17.3" TFT LED, 300nits (optional)
Resolution	1600 x 900 (1920 x 1080 optional)
Memory	Supports 2GB/4GB/8GB (optional)
Storage	SATA SSD/HDD (optional)
Speaker	2 x speaker, 2W (optional)
I/O	<ul style="list-style-type: none"> • 2 x LAN port • 2 x COM port (max up to 6 x COM optional) • 1 x VGA • 1 x HDMI • 1 x DP • 4 x USB • 1 x Audio
Expansion slot	Supports 3 x PCI, 4 x PCIE expansion slot (optional)
Fan	2 x Fan
DVD±RW	Supported
Hard/Disc driver	1*3.5" HDD, 1*2.5"HDD Driver
Keyboard	Ultrathin 88keys
Touch pad	Supported
In Front Control	1 x Power button, 1 x Lock button
Operating system	WES7-WS7P, Win7 pro, Win 8, Linux, etc.
Mechanical Shock	10G@11ms 30G@11ms
Vibration	0.4Grms (10~500Hz) 1.12Grms (10~500Hz)
Power supply	ATX 500W with a pci-e 6+2 pin Power input: AC 90~264V@50~60Hz/ DC12V@60W (Optional)
Dimension	457 x 357.6 x 232.3mm
Net weight	9kg
Gross weight	11.5kg
Transport bag	710 x 585 x 486mm
Gross weight	7.5Kg

Operating temp	-10°C - +55°C
Storage temp	-20°C - +70°C
Humidity	10-90% condensing, 5-95% non-condensing
Certifications	CE, FCC