

CEX – 7” HMI Industrial Touch Panel PC’s

IPPC-C7000T



• Features

- 7” industrial touch panel pc running Linux system
- ARM mother board with Cortex A8 1.0 GHz
- Memory: 512M Bytes DDR3 SDRAM + storage device 256M flash
- Plastic panel or alloy panel + plastic back case and fan less design
- 7” resistive touch screen / projected capacitive touch screen

• Specifications

CPU	Cortex A8 1.0GHz
Display	7" high-brightness LCD screen; 250cd/m2 brightness
Resolution	800 x 480
Memory	DDR3 512MB
Flash	256 flash
Network interface	1x 1000Mbps Ethernet controller (2 x Lan optional)
I/O	<ul style="list-style-type: none"> • 2 x RS232 COM, 1 x RS232 (test port) • 2 x RS485 com (4x RS485 optional) • 3 x USB2.0, 1 x USB test port • 1 x LAN (2 x LAN optional) • Support 19V ~ 24V Power input
Touch Screen	Resistive / projective capacitive touch screen (optional)
Power Supply	Supports 9-24VDC. Kindly advise 24VDC or 12VDC
Power consumption	3.12 W (12V, 260mA)
Watchdog	The time can be adjusted
buzzer	Built-in, provides function control sound;
WIFI	Optional
CAN	Optional
Dimension	192.5mm (L) x 128.5mm (W) x 38mm (H)
Installation	Panel type, wall- mount, Table, bracket etc.
Net weight	0.5kg
Gross weight	About 2kg
Operating Temp	-10°C~60°C
Humidity	-20°C~70°C