


CEX – 9.7” HMI Open Frame Touch Panel PC’s

OPPC-B97000T



• Features

- 9.7” Open frame touch panel pc running Android 4.4.2 system
- The board + LCD Screen (1024 x 768)
- ARM mother board with Cortex A9 Quad core 1.2Ghz
- Memory: 1GB DDR3 SDRAM + EMMC 8GB flash
- 9.7” multi-point capacitive touch screen

• Specifications

| | |
|--------------------------|--|
| CPU | Cortex A9 quad core 1.2Ghz |
| Display | 9.7" high-brightness LCD screen; 250cd/m2 brightness |
| Resolution | 1024 x 768 |
| Memory | DDRIII 1GB |
| Flash | EMMC 8GB |
| Extension storage | Micro SD, Max up to 32GB |
| Network interface | 1x 100Mbps Ethernet controller |
| I/O | <ul style="list-style-type: none"> • 3 x RS232 COM, 1 x RS232 (test port) • 2 x RS485 com • 3 x USB2.0 + 1 x USB slave • 1 x LAN • Support 9V ~ 24V Power input |
| Touch Screen | Multi-point capacitive touch screen |
| Power Supply | Supports 9-24VDC. Kindly advise 24VDC or 12VDC |
| Power consumption | 3.12W (12V, 260mA) |
| Watchdog | The time can be adjusted |
| buzzer | Built-in, provides function control sound; |
| WIFI | Optional |
| 3G | WCDMA optional |
| Operating system | Android 4.4.2 system |
| Fan less | Fan less design |
| Dimension | 232.5mm (L) x 172.8mm (W) x 21mm (H) |
| Installation | Panel type, wall- mount, Table, bracket etc. |
| Net weight | 0.8kg |
| Gross weight | About 1kg |
| Operating Temp | -10°C~60°C |
| Humidity | -20°C~70°C |